

## 100 liter tank i Syrafast 316



**37,000,00 kr /st exkl moms**

**Additional information:** pharmacy; frame and cover, Aisi 304; some residues of previous content

**Volumetric volume (L):** 100 L

**Pressure in tank:** ATM - atmosferic

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 22 L

**Max Overpressure:** 6 Bar

**Max. working temperature:** 165 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 25

**Internal diameter tank:** 645 mm

**Outer diameter tank:** 820 mm

**Total height of tank:** 1.350 mm

**Total outer width:** 860 mm

**Total outer length:** 1.050 mm

**SKU:** 423731

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: pharmacy; frame and cover, Aisi 304; some residues of previous content; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Volym i liter: 100

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 645 mm

Total höjd: 1.350 mm

Ytterdiameter: 820 mm

## Mer

Isolerad: Ja