

100 liter tank i Syrafast 316



24,000,00 SEK /st exkl moms

Additional information: Pharmacy; Attention: Type plate only available for 1 vessel (we assume that the operating pressure of 5 bar (air) is the same or similar for the second vessel, but have no proof of this); chassis, stainless steel 304; diameter of hand hole approx. 140 mm; on 1 vessel, the outer protective ring is slightly dented

Volumetric volume (L): 100 L
Pressure in tank: pressure
Max. pressure (Bar): 5 Bar
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: 25
Internal diameter tank: 390 mm
Cylinder height: 690 mm
Total height of tank: 1.300 mm

SKU: 490006

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Attention: Type plate only available for 1 vessel (we assume that the operating pressure of 5 bar (air) is the same or similar for the second vessel, but have no proof of this); chassis,

Övrig information2: stainless steel 304; diameter of hand hole approx. 140 mm; on 1 vessel, the outer protective ring is slightly dented

Omrörare: Nej

Övertryck: 5 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 100

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 690 mm

Invändig diameter: 390 mm

Total höjd: 1.300 mm

Mer

Isolerad: Nej
