

## 100 liter tank i Syrafast 316



**17 000 SEK /st exkl moms**

**Additional information:** bitumen; support brackets made of mild steel; some residues of previous content

**Volumetric volume (L):** 100 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Heat exchanger:** RVS 316

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** 25

**Agitator:** yes

**Internal diameter tank:** 600 mm

**Cylinder height:** 370 mm

**Total height of tank:** 1.600 mm

**SKU:** 266377

---

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: bitumen; support brackets made of mild steel; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 100

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 370 mm

Invändig diameter: 600 mm

Total höjd: 1.600 mm

## Mer

Värmeväxlare: RVS 316

Isolerad: Nej