

1000 liter tank i Rostfritt 304



56,000,00 kr /st exkl moms

Article type: second-hand mixing tank

Additional information: Chinese tanks, the tank has a dent in the insulation, please look closely at the pictures. There is no information on the heating and the double jacket.; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger



Heat exchanger: yes

Insulation: yes

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 3 adjustable feet

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 350 mm

Tank outlet: inside Ø 40 mm

Total outlet valve: no

Agitator: yes

Power: 1,50

Internal diameter tank: 1.110 mm

Distance from outlet to ground: 280 mm

Outer diameter tank: 1.310 mm

Cylinder height: 1.160 mm

Total height of tank: 2.800 mm

Empty weight tank: 665

SKU: 35046

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Chinese tanks, the tank has a dent in the insulation, please look closely at the pictures. There is no information on the heating and the double jacket.; we can't give any guarantees about the

Övrig information2: heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 40 mm

Teknisk ritning finns: Nej

Utloppsventil: Nej



Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

Ytterbeklädnad: RVS 304

Dimensioner av tank

Cylinderhöjd: 1.160 mm

Invändig diameter: 1.110 mm

Mått utlopp till marken: 280 mm

Total höjd: 2.800 mm

Ytterdiameter: 1.310 mm

Omrörare

Kraft (kW): 1,50

Mer

Isolerad: Ja

Vikt: 665