

## 1000 liter tank i Rostfritt 304



**182,000,00 kr /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** tank has never been used; welds polished Ra 0.8; agitator completely stainless-steel; we can't give any guarantees about the agitator

**Volumetric volume (L):** 1.000 L

**Max. density P (kg/m<sup>3</sup>):** 1.200

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 80 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** conical 15 °

**Shape of tank:** cylindrical

**Bottom type:** conical 15

**Total discharge:** yes

**Fixation points:** 3 non adjustable feet

**Legs:** Set of baseplates and adjusting pieces included

**Spray ball:** RVS 304

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Wet parts agitator(s):** SS AISI 304 (V2A)

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** yes

**Registration plate on the tank:** no

**Flange for agitator:** yes

**CIP spray ball:** no

**Tank outlet:** inside Ø 50 mm

**Outlet type:** DIN11850 male

**Total outlet valve:** no

**Adjustable legs:** yes

**Agitator:** yes

**Agitator type:** propeller agitator

**Position engine:** at the top

**Number of revolutions:** 1.425

**Power:** 2,20

**Voltage:** three-phase

**Top:** 3 mm

**Cylinder:** 3 mm



**Bottom:** 3 mm

**Distance from outlet to ground:** 280 mm

**Outer diameter tank:** 1.450 mm

**Cylinder height:** 630 mm

**Total height of tank:** 2.100 mm

**Total outer width:** 1.600 mm

**Total outer length:** 1.900 mm

**Empty weight tank:** 350

**SKU:** 9473

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 80 °C

Maximal densitet för produkten: 1200

Mobil tank: Nej

Övrig information: tank has never been used: welds polished Ra 0.8; agitator completely stainless-steel; we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: conical 15

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Tankutlopp: inside Ø 50 mm

Teknisk ritning finns: Ja

Utloppstyp: DIN11850 male

Utloppsventil: Nej

## Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

Material vätskeberörd del på omrörare: SS AISI 304 (V2A)

## Dimensioner av tank

Cylinderhöjd: 630 mm  
Mått utlopp till marken: 280 mm  
Total höjd: 2.100 mm  
Ytterdiameter: 1.450 mm

## Omrörare

Kraft (kW): 2,20  
Position motor: at the top  
Typ av omrörare: propeller agitator  
Varvtal: 1.425  
Spänning (Volt): three-phase

## Tjocklek på tank

Botten: 3 mm  
Cylinder: 3 mm  
Topp: 3 mm

## Mer

Isolerad: Nej  
Vikt: 350