

## 1000 liter tank i Rostfritt 304



**52 000 SEK /st exkl moms**

item available on order

**Article type:** brand new transport tank

**Additional information:** GGVSEB / GGVSea / ADR / RID / IMDG-Code



**Volumetric volume (L):** 1.000 L

**Max. density P (kg/m<sup>3</sup>):** 2.100

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,20 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** flat

**Shape of tank:** rectangular

**Bottom type:** flat sloping

**Total discharge:** yes

**Fixation points:** 4 stackable frame

**Manway(s):** RVS 304

**Gasket manway(s):** EPDM

**Valve:** RVS 304

**Gasket shut-off valve (mat):** EPDM

**Fixation point(s):** galvanised steel

**Suitable for food industry:** no

**Documents included:** yes, optional

**Technical drawing included:** yes

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Tank outlet:** inside Ø 50 mm

**Outlet type:** DIN11850

**Total outlet valve:** yes

**Agitator:** no, optional

**Top:** 2 mm

**Cylinder:** 2 mm

**Bottom:** 2 mm

**Total height of tank:** 1.550 mm

**Total outer width:** 1.015 mm  
**Total outer length:** 1.215 mm  
**Empty weight tank:** 180

**SKU:** 379961

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Nyttillverkad  
Arbetstryck i tank: pressure  
Konfiguration: single-skin  
Maximal densitet för produkten: 2100  
Mobil tank: Nej  
Övrig information: GGVSEB / GGVSea / ADR / RID / IMDG-Code  
Omrörare: Nej  
Övertryck: 0,20 Bar  
Tankens form: rectangular  
Total urtappning: Ja  
Typ av botten: flat sloping  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 1000



## Utrustning

Fläns för omrörare: Nej  
Märkskylt: Ja  
Tankutlopp: inside Ø 50 mm  
Teknisk ritning finns: Ja  
Utloppstyp: DIN11850  
Utloppsventil: Ja

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): galvanised steel

## Dimensioner av tank

Total höjd: 1.550 mm

## Tjocklek på tank

Botten: 2 mm  
Cylinder: 2 mm  
Topp: 2 mm

## Mer

Isolerad: Nej  
Vikt: 180