1000 liter tank i Rostfritt 304



49 000 SEK /st exkl moms

item available on order

Article type: brand new palletized transporttank (not ADR) - type IBC-PL
Additional information: We can take more containers in production for you. These standardised PL IBC containers EW10.008V4N which we offer from our stock are applicable for food use.
The tanks have a butterfly valve instead of a ball valve.
Volumetric volume (L): 1.000 L
Max. density P (kg/m³): 1.900
Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: yes
Top type: conical
Shape of tank: cylindrical
Bottom type: flat sloping
Total discharge: yes

Fixation points: 4 stackable frame
Fixation point(s): galvanised steel
Suitable for food industry: yes
Documents included: yes, optional
Technical drawing included: yes

Registration plate on the tank: yes
Flange for agitator: no
CIP spray ball: no
Tank outlet: inside Ø 50 mm
Outlet type: DIN11850

Total outlet valve: yes
Agitator: no, optional
Top: 1,50 mm
Cylinder: 1,50 mm
Bottom: 1,50 mm

Distance from outlet to ground: 250 mm
Outer diameter tank: 1.080 mm
Cylinder height: 1.000 mm
Total height of tank: 1.542 mm
Total outer width: 1.121 mm

Total outer length: 1.121 mm
Empty weight tank: 140

SKU: 435644

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Nytillverkad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Maximal densitet för produkten: 1900
Mobil tank: Ja
Övrig information: We can take more containers in production for you. These standardised PL IBC containers EW10.008V4N which we offer from our stock are applicable for food use. The tanks have a butterfly valve
Övrig information2: instead of a ball valve.
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: flat sloping
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1000

Utrustning
Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Ja
Utloppstyp: DIN11850
Utloppsventil: Ja

Översikt material
Material: Rostfritt 304
Fixeringspunkt(er): galvanised steel

Dimensioner av tank
Cylinderhöjd: 1.000 mm
Mått utlopp till marken: 250 mm
Total höjd: 1.542 mm
Ytterdiameter: 1.080 mm

Tjocklek på tank
Botten: 1,50 mm
Cylinder: 1,50 mm
Topp: 1,50 mm

Mer
Isolerad: Nej
Vikt: 140