

1000 liter tank i Rostfritt 304



53,000,00 kr /st exkl moms

item available on order

Article type: brand new palletized transporttank (not ADR) - type IBC-PL

Additional information: We can take more containers in production for you. These standardised PL IBC containers EW10.008V4N which we offer from our stock are [applicable for food use](#).

The tanks have a butterfly valve instead of a ball valve.

Volumetric volume (L): 1.000 L

Max. density P (kg/m³): 1.900

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: yes

Top type: conical

Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 stackable frame

Fixation point(s): galvanised steel

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

CIP spray ball: no

Tank outlet: inside Ø 50 mm

Outlet type: DIN11850

Total outlet valve: yes

Agitator: no, optional

Top: 1,50 mm

Cylinder: 1,50 mm

Bottom: 1,50 mm

Distance from outlet to ground: 250 mm

Outer diameter tank: 1.080 mm

Cylinder height: 1.000 mm

Total height of tank: 1.542 mm

Total outer width: 1.121 mm

Total outer length: 1.121 mm

Empty weight tank: 140

SKU: 435644

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Nyttillverkad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Maximal densitet för produkten: 1900

Mobil tank: Ja

Övrig information: We can take more containers in production for you. These standardised PL IBC containers EW10.008V4N which we offer from our stock are applicable for food use. The tanks have a butterfly valve

Övrig information2: instead of a ball valve.

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: flat sloping

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000



Utrustning

Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 50 mm
Teknisk ritning finns: Ja
Utloppstyp: DIN11850
Utloppsventil: Ja

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): galvanised steel

Dimensioner av tank

Cylinderhöjd: 1.000 mm
Mått utlopp till marken: 250 mm
Total höjd: 1.542 mm
Ytterdiameter: 1.080 mm

Tjocklek på tank

Botten: 1,50 mm
Cylinder: 1,50 mm
Topp: 1,50 mm

Mer

Isolerad: Nej
Vikt: 140