

1000 liter tank i Rostfritt 304



44,000 SEK /st exkl moms

Additional information: Pharmacy; Frame, Fe (galvanized); dents in the insulating jacket and inside possible; according to the manufacturer, the double jacket can be operated up to 6.0 bar at 120°C (without guarantee by Behälter KG, as not noted in the drawing); some residues of previous content; traces of usage

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no
Total discharge: yes

Max Overpressure: 6 Bar
Max. working temperature: 120 °C
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Heat exchanger: RVS 304

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: 50
Total height of tank: 1.850 mm
Total outer width: 1.020 mm
Total outer length: 1.220 mm
Empty weight tank: 470

SKU: 562941

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Pharmacy; Frame, Fe (galvanized); dents in the insulating jacket and inside possible; according to the manufacturer, the double jacket can be operated up to 6.0 bar at 120°C (without guarantee by

Övrig information2: Behälter KG, as not noted in the drawing); some residues of previous content;traces of usage; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.850 mm

Mer

Värmeväxlare: RVS 304

Isolerad: Ja

Vikt: 470