1000 liter tank i Rostfritt 304



21 000 SEK /st exkl moms

Additional information: DN 100 hand hole in the upper bottom (in some cases the union nut is missing); small dents possible in some places
Volumetric volume (L): 1.000 L
Pressure in tank: pressure
Max. pressure (Bar): 2 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Min. pressure (Bar): 2 Bar

Max. temperature (°C): 130 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: DN50 DIN 11851
Top: 2 mm
Cylinder: 2 mm

Bottom: 2,50 mm
Internal diameter tank: 1.000 mm
Cylinder height: 965 mm
Total height of tank: 1.850 mm
Empty weight tank: 450

SKU: 563842

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Max. arbetstemperatur: 130 °C
Mobil tank: Nej
Övrig information: Food; DN 100 hand hole in the upper bottom (in some cases the union nut is missing); small dents possible in some places
Omrörare: Nej
Övertryck: 2 Bar
Total urtappning: Ja
Undertryck (vakuum): 2 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 965 mm
Invändig diameter: 1.000 mm
Total höjd: 1.850 mm

Tjocklek på tank
Botten: 2,50 mm
Cylinder: 2 mm
Topp: 2 mm

Mer
Isolerad: Nej
Vikt: 450