

## 1000 liter tank i Rostfritt 304



**19,000,00 kr /st exkl moms**

**Article type:** second-hand transport tank

**Additional information:** previous product was condensed milk

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,20 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no



**Insulation:** no

**Mobile tank:** no

**Top type:** flat

**Shape of tank:** square

**Bottom type:** conical

**Bottom outlet:** yes

**Total discharge:** yes

**Fixation points:** 4 stackable frame

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** headside

**Height manhole 1 (mm):** 425 mm

**Hinged lid:** yes

**Tank outlet:** inside Ø 80 mm

**Outlet type:** DIN11851

**Total outlet valve:** yes

**Agitator:** no

**Distance from outlet to ground:** 300 mm

**Cylinder height:** 910 mm

**Total height of tank:** 1.710 mm

**Total outer width:** 850 mm

**Total outer length:** 1.210 mm

**Empty weight tank:** 500

**SKU:** 487902

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja  
Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: pressure  
Konfiguration: single-skin  
Mobil tank: Nej  
Övrig information: previous product was condensed milk  
Omrörare: Nej  
Övertryck: 0,20 Bar  
Tankens form: square  
Total urtappning: Ja  
Typ av botten: conical  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 1000

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 80 mm  
Teknisk ritning finns: Nej  
Utloppstyp: DIN11851  
Utloppsventil: Ja

## Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 910 mm

Mått utlopp till marken: 300 mm

Total höjd: 1.710 mm

## Mer

Isolerad: Nej

Vikt: 500