

1000 liter tank i Rostfritt 304



25 000 SEK /st exkl moms

Article type: second-hand transport tank

Additional information: Previous product was Methyl Acrylate (Cas. No. 96-33-3), the tanks are empty and cleaned; the tanks have not been used much and are in very good condition; UN marking.

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no



Insulation: yes

Mobile tank: no

Top type: flat

Shape of tank: rectangular

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 stackable frame

Insulation material: Rockwool

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 304

Fixation point(s): galvanised steel

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 50 mm

Total outlet valve: yes

Top: 1,50 mm

Cylinder: 1,50 mm

Bottom: 1,50 mm

Distance from outlet to ground: 280 mm

Total height of tank: 1.750 mm

Total outer width: 1.010 mm

Total outer length: 1.210 mm

Empty weight tank: 280

SKU: 567839

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Previous product was Methyl Acrylate (Cas. No. 96-33-3), the tanks are empty and cleaned; the tanks have not been used much and are in very good condition; UN marking.

Omrörare: Nej

Tankens form: rectangular

Total urtappning: Ja

Typ av botten: flat sloping

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Tankutlopp: inside Ø 50 mm

Teknisk ritning finns: Nej

Utloppsventil: Ja



Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): galvanised steel

Isoleringsmaterial: Rockwool

Ytterbeklädnad: RVS 304

Dimensioner av tank

Mått utlopp till marken: 280 mm

Total höjd: 1.750 mm

Tjocklek på tank

Botten: 1,50 mm

Cylinder: 1,50 mm

Topp: 1,50 mm

Tjocklek på ytterbeklädnad och isolering

Isoleringsmaterial: Rockwool

Mer

Isolerad: Ja

Vikt: 280