

1000 liter tank i Rostfritt 304



84 000 SEK /st exkl moms

Additional information: Food; Heating cable (2 kW power) attached to the cylinder & underbody, protective box with heating device, temperature sensor for measuring the heating cable & product temperature

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max. working temperature: 120 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Top: 2 mm

Cylinder: 2 mm

Bottom: 2,50 mm

Internal diameter tank: 1.062 mm

Total height of tank: 1.670 mm

Total outer width: 1.100 mm

Total outer length: 1.200 mm

SKU: 572252

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Food; Heating cable (2 kW power) attached to the cylinder & underbody, protective box with heating device, temperature sensor for measuring the heating cable & product temperature

Övrig information2: any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.062 mm

Total höjd: 1.670 mm

Tjocklek på tank

Botten: 2,50 mm

Cylinder: 2 mm

Topp: 2 mm

Mer

Isolerad: Ja
