1000 liter tank i Rostfritt 304



85 000 SEK /st exkl moms

Additional information: Heating cable with 2 kW power, attached to the jacket and bottom panel; temperature range up to 150°C; protective enclosure with heating system; temperature sensors for measuring product and heating cable temperatures; stainless steel 304 frame; According to the seller, the WHP and Elektro-BGV inspections are up to date; the two containers have different outlet configurations; one container has small dents on the inside and one small dent in the insulation jacket, while the other

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

container has small dents in the insulation jacket (see photos); dents at the insulation jacket; traces of usage
Volumetric volume (L): 1.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: 50
Total height of tank: 1.680 mm
Total outer width: 1.200 mm
Total outer length: 1.200 mm

SKU: 709471

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Heating cable with 2 kW power, attached to the jacket and bottom panel; temperature range up to 150°C; protective enclosure with heating system; temperature sensors for measuring product and heating
Övrig information2:
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.680 mm

Mer

Isolerad: Ja