

1000 liter tank i Rostfritt 304



86 000 SEK /st exkl moms

Additional information: Heating cable with 2 kW power, attached to the jacket and bottom panel; temperature range up to 150°C; protective enclosure with heating system; temperature sensors for measuring product and heating cable temperatures; stainless steel 304 frame; According to the seller, the WHP and Elektro-BGV inspections are up to date; the two containers have different outlet configurations; one container has small dents on the inside and one small dent in the insulation jacket, while the other



container has small dents in the insulation jacket (see photos); dents at the insulation jacket; traces of usage

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 50

Total height of tank: 1.680 mm

Total outer width: 1.200 mm

Total outer length: 1.200 mm

SKU: 709471

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmospheric

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Heating cable with 2 kW power, attached to the jacket and bottom panel; temperature range up to 150°C; protective enclosure with heating system; temperature sensors for measuring product and heating

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.680 mm

Mer

Isolerad: Ja