

## 1000 liter tank i Rostfritt 304



**36,000,00 kr /st exkl moms**

**Article type:** second-hand transport tank

**Additional information:** The tanks have been used once in the food industry supply and are in absolute new condition, complete technical file included.

Only what you see in the photos is with the tanks, there is no spray ball and there is no CO2 quick coupling as in the drawing, this can be ordered at an additional cost.

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 2 Bar

**Min. pressure (Bar):** -15 Bar

**Max. temperature (°C):** 130 °C  
**Min. temperature (°C):** -10 °C  
**Material wet parts:** SS AISI 304L (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Top type:** dished

**Shape of tank:** cylindrical  
**Bottom type:** strong conical  
**Total discharge:** yes  
**Fixation points:** 4 stackable frame  
**Manway(s):** RVS 304

**Gasket manway(s):** EPDM  
**Valve:** RVS 304  
**Gasket shut-off valve (mat):** EPDM  
**Suitable for food industry:** yes  
**Documents included:** yes, optional

**Technical drawing included:** yes  
**Registration plate on the tank:** yes  
**Inspection of:** TUV  
**Flange for agitator:** no  
**Position of manway:** at the top

**Height manhole 1 (mm):** 400 mm  
**CIP spray ball:** no, optional  
**Tank outlet:** inside Ø 50 mm  
**Outlet type:** DIN11851 male  
**Total outlet valve:** yes

**Agitator:** no, optional  
**Top:** 2 mm  
**Cylinder:** 2 mm  
**Bottom:** 2,50 mm



**Distance from outlet to ground:** 200 mm

**Outer diameter tank:** 1.002 mm

**Cylinder height:** 965 mm

**Height of bottom:** 372 mm

**Total height of tank:** 1.840 mm

**Empty weight tank:** 180

**SKU:** 189398

## Mer information

## Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 130 °C

Min. arbetstemperatur: -10 °C

Mobil tank: Nej

Övrig information: The tanks have been used once in the food industry supply and are in absolute new condition, complete technical file included. Only what you see in the photos is with the tanks, there is no spray

Övrig information2: ball and there is no CO2 quick coupling as in the drawing, this can be ordered at an additional cost.

Omrörare: Nej

Övertryck: 2 Bar

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: strong conical

Undertryck (vakuum): -15 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304L (V2A)

Volym i liter: 1000

## Utrustning

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

med besiktning av: TUV

Tankutlopp: inside Ø 50 mm

Teknisk ritning finns: Ja

Utloppstyp: DIN11851 male

Utloppsventil: Ja



## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 965 mm

Mått utlopp till marken: 200 mm

Total höjd: 1.840 mm

Ytterdiameter: 1.002 mm

## Tjocklek på tank

Botten: 2,50 mm

Cylinder: 2 mm

Topp: 2 mm

## Mer

Isolerad: Nej

Vikt: 180