

## 1000 liter tank i Rostfritt 304



**84 000 SEK /st exkl moms**

**Additional information:** Chemistry; Heating cable power 2 kW attached to the jacket & bottom of the tank; temperature range up to 150°C; protective box for heating devices; temperature sensors for measuring the product temperature and heating cable temperature; frame made of AISI304; slight metallic discoloration inside; test reports available

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** 48

**Total height of tank:** 1.670 mm

**Total outer width:** 1.200 mm

**Total outer length:** 1.110 mm

**Empty weight tank:** 325

**SKU:** 280678

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Chemistry; Heating cable power 2 kW attached to the jacket & bottom of the tank; temperature range up to 150°C; protective box for heating devices; temperature sensors for measuring the product

Övrig information2: temperature and heating cable temperature; frame made of AISI304; slight metallic discoloration inside; test reports available; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Total höjd: 1.670 mm

**Mer**

Isolerad: Ja

Vikt: 325

---