1000 liter tank i Rostfritt 304



51 000 SEK /st exkl moms

Additional information: Weld seams not ground
Volumetric volume (L): 1.000 L
Pressure in tank: ATM - atmosferic
Min. pressure (Bar): 2,50 Bar
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Volume: 14 L
Max. working temperature: 95 °C
Heat exchanger: RVS 304
Fixation point(s): galvanised steel

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.080 mm
Cylinder height: 1.000 mm
Total height of tank: 1.600 mm
Total outer width: 1.120 mm

Total outer length: 1.120 mm
Empty weight tank: 160

SKU: 393530

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: single jacketed with heat-exchanger
Mobil tank: Nej
Övrig information: welding seams are not ground
Omrörare: Nej
Total urtappning: Yes
Undertryck (vakuum): 2,50 Bar
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): galvanised steel

Dimensioner av tank

Cylinderhöjd: 1.000 mm
Invändig diameter: 1.080 mm
Total höjd: 1.600 mm

Mer

Värmeväxlare: RVS 304
Isolerad: Nej
Vikt: 160