

## 1000 liter tank i Rostfritt 304



**51,000 SEK /st exkl moms**

**Additional information:** Weld seams not ground

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 14 L

**Max Overpressure:** 2,50 Bar

**Max. working temperature:** 95 °C

**Heat exchanger:** RVS 304

**Fixation point(s):** galvanised steel

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN50 DIN 11851

**Internal diameter tank:** 1.080 mm

**Cylinder height:** 1.000 mm

**Total height of tank:** 1.600 mm

**Total outer width:** 1.120 mm

**Total outer length:** 1.120 mm

**Empty weight tank:** 160

**SKU:** 269365

Mer information

## Beskrivning av produkt

Material: Rostfritt 304  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: single jacketed with heat-exchanger  
Mobil tank: Nej  
Övrig information: welding seams are not ground  
Omrörare: Nej  
Total urtappning: Ja  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 1000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304  
Fixeringspunkt(er): galvanised steel

## Dimensioner av tank

Cylinderhöjd: 1.000 mm  
Invändig diameter: 1.080 mm  
Total höjd: 1.600 mm

## Mer

Värmeväxlare: RVS 304  
Isolerad: Nej  
Vikt: 160

