

1000 liter tank i Rostfritt 304



63 000 SEK /st exkl moms

Additional information: pneumatic agitator; frame on castors with brake; including DEPA compressed air diaphragm pump type: DL25-SX-ZTT (Ex protected); sight glass in the cylinder; some residues of previous content

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: 30

Agitator: yes
Number of revolutions: 189
Power: 0,75
Internal diameter tank: 1.200 mm
Cylinder height: 700 mm

Total height of tank: 2.160 mm
Total outer width: 1.320 mm
Total outer length: 1.750 mm

SKU: 299536

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: pneumatic agitator; frame on castors with brake; including DEPA compressed air diaphragm pump type: DL25-SX-ZTT (Ex protected); sight glass in the cylinder; some residues of previous content; we

Övrig information2: can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 700 mm

Invändig diameter: 1.200 mm

Total höjd: 2.160 mm

Omrörare

Kraft (kW): 0,75

Varvtal: 189

Mer

Isolerad: Nej
