

1000 liter tank i Rostfritt 304



84 000 SEK /st exkl moms

Additional information: Chemistry (coolant); Frame, Aisi 304; heating cable attached to the cylinder and lower bottom (power probably 2 kW at a temperature range of up to 150° C); protective box with heating device; temperature sensors for measuring the product and heating cable temperature; drawing of a container presumably of the same construction is available; small dents in the insulation jacket; some

residues of previous content; traces of usage

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Total height of tank: 1.670 mm

Total outer width: 1.200 mm

Total outer length: 1.110 mm

SKU: 481353

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Chemistry (coolant); Frame, Aisi 304; heating cable attached to the cylinder and lower bottom (power probably 2 kW at a temperature range of up to 150° C); protective box with heating device;

Övrig information2:

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.670 mm

Mer

Isolerad: Ja