

## 1000 liter tank i Rostfritt 304



**48,000,00 kr /st exkl moms**

**Additional information:** Confectionery industry; Frame, Fe (galvanized); double jacket must be filled with heat transfer oil on site for heating; this is heated by a heating coil (content: 8 liters; permissible operating pressure: 4 bar; permissible operating temperature: 144° C) probably made of Aisi 304; inlets to the heating connections made of Fe; small dents in the insulating jacket; some residues of previous content; traces of

usage

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN50 DIN 11851

**Total height of tank:** 1.840 mm

**Total outer width:** 1.220 mm

**Total outer length:** 1.020 mm

**SKU:** 481224

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosfERIC

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Confectionery industry; Frame, Fe (galvanized); double jacket must be filled with heat transfer oil on site for heating; this is heated by a heating coil (content: 8 liters; permissible operating

Övrig information2:

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Total höjd: 1.840 mm

## Mer

Isolerad: Ja