

1000 liter tank i Rostfritt 304



44 000 SEK /st exkl moms

Additional information: Confectionery industry; Frame, Fe (galvanized); double jacket must be filled with heat transfer oil on site for heating; this is heated by a heating coil (capacity: 8 liters; permissible operating pressure: 4 bar; permissible operating temperature: 144° C) presumably made of stainless steel 304; inlets to the heating connections made of Fe; small dents in the insulation jacket; some residues of previous

content; traces of usage

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Total height of tank: 1.840 mm

Total outer width: 1.220 mm

Total outer length: 1.020 mm

SKU: 481224

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Confectionery industry; Frame, Fe (galvanized); double jacket must be filled with heat transfer oil on site for heating; this is heated by a heating coil (content: 8 liters; permissible operating

Övrig information2:

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.840 mm

Mer

Isolerad: Ja