

## 1000 liter tank i Rostfritt 304



**42 000 SEK /st exkl moms**

**Article type:** second-hand pressure tank

**Additional information:** Duotank 2016; Previous product was beer

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** pressure

**Design pressure (Bar):** 4,30 Bar

**Max. pressure (Bar):** 3 Bar

**Max. temperature (°C):** 30 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal



**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Shape of tank:** cylindrical

**Wall type:** dished

**Total discharge:** yes

**Fixation points:** 4 non adjustable feet

**Manway(s):** plastic

**Gasket manway(s):** EPDM

**Valve:** RVS 304L

**Gasket shut-off valve (mat):** EPDM

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** headside

**Height manhole 1 (mm):** 190 mm x H 220 mm

**Tank outlet:** inside Ø 25 mm

**Outlet type:** DIN11851

**Total outlet valve:** yes

**Distance from outlet to ground:** 150 mm

**Outer diameter tank:** 800 mm

**Cylinder height:** 1.920 mm

**Total outer length:** 2.350 mm

**Empty weight tank:** 250

**SKU:** 484901

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja  
Material: Rostfritt 304  
Modell: Horisontell  
Nyttillverkad/Begagnad: Begagnad  
Arbetstryck i tank: pressure  
Designtryck för tanken: 4,30 Bar  
Konfiguration: single-skin  
Max. arbetstemperatur: 30 °C  
Mobil tank: Nej  
Övrig information: Duotank 2016; Previous product was beer  
Omrörare: Nej  
Övertryck: 3 Bar  
Tankens form: cylindrical  
Total urtappning: Ja  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 304 (V2A)  
Volym i liter: 1000

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Livsmedelsklassad: Ja  
Tankutlopp: inside Ø 25 mm  
Teknisk ritning finns: Nej  
Utloppstyp: DIN11851  
Utloppsventil: Ja

## Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

## Dimensioner av tank

Cylinderhöjd: 1.920 mm

Mått utlopp till marken: 150 mm

Ytterdiameter: 800 mm

## Mer

Isolerad: Nej

Vikt: 250