1000 liter tank i Rostfritt 304



42 000 SEK /st exkl moms

Article type: second-hand pressure tank
Additional information: Duotank 2016; Previous product was beer
Volumetric volume (L): 1.000 L
Pressure in tank: pressure
Design pressure (Bar): 4,30 Bar

Max. pressure (Bar): 3 Bar
Max. temperature (°C): 30 °C
Material wet parts: SS AISI 304 (V2A)
Model: horizontal
Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Shape of tank: cylindrical
Wall type: dished

Total discharge: yes
Fixation points: 4 non adjustable feet
Manway(s): plastic
Gasket manway(s): EPDM
Valve: RVS 304L

Gasket shut-off valve (mat): EPDM
Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Number of manways: 1
Position of manway: headside
Height manhole 1 (mm): 190 mm x H 220 mm

Tank outlet: inside Ø 25 mm
Outlet type: DIN11851
Total outlet valve: yes
Distance from outlet to ground: 150 mm
Outer diameter tank: 800 mm

Cylinder height: 1.920 mm
Total outer length: 2.350 mm
Empty weight tank: 250

SKU: 484901

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Designtryck för tanken: 4,30 Bar
Konfiguration: single-skin
Max. arbetstemperatur: 30 °C
Mobil tank: Nej
Övrig information: Duotank 2016; Previous product was beer
Omrörare: Nej
Övertryck: 3 Bar
Tankens form: cylindrical
Total urtappning: Yes
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 25 mm
Teknisk ritning finns: Nej
Utloppstyp: DIN11851
Utloppsventil: Ja

Översikt material
Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank
Cylinderhöjd: 1.920 mm
Mått utlopp till marken: 150 mm
Ytterdiameter: 800 mm

Mer
Isolerad: Nej
Vikt: 250

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se