

1000 liter tank i Rostfritt 304



189 000 SEK /st exkl moms

Additional information: Pharmacy; Original drawing available; vessel was subsequently slightly converted (test report from TÜV Nord is available)

Volumetric volume (L): 1.000 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar

Max. temperature (°C): 140 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 93 L

Max Overpressure: 3 Bar

Max onderdruk: 1 Bar

Max. working temperature: 143 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 90

Agitator: yes

Power: 5,50

Top: 8 mm

Cylinder: 6 mm

Bottom: 6 mm

Internal diameter tank: 1.000 mm

Outer diameter tank: 1.210 mm

Cylinder height: 1.200 mm

Total height of tank: 2.950 mm

SKU: 313769

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 140 °C

Mobil tank: Nej

Övrig information: Pharmacy; Original drawing available; vessel was subsequently slightly converted (test report from TÜV Nord is available); we can't give any guarantees about the heating/cooling jacket; we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Övertryck: 4 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304



Dimensioner av tank

Cylinderhöjd: 1.200 mm
Invändig diameter: 1.000 mm
Total höjd: 2.950 mm
Ytterdiameter: 1.210 mm

Omrörare

Kraft (kW): 5,50

Tjocklek på tank

Botten: 6 mm
Cylinder: 6 mm
Topp: 8 mm

Mer

Isolerad: Ja