

## 1000 liter tank i Rostfritt 304



**189 000 SEK /st exkl moms**

**Additional information:** Pharmacy; Original drawing available; vessel was subsequently slightly converted (test report from TÜV Nord is available)

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 4 Bar

**Max. temperature (°C):** 140 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 93 L

**Max Overpressure:** 3 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 143 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 90

**Agitator:** yes

**Power:** 5,50

**Top:** 8 mm

**Cylinder:** 6 mm

**Bottom:** 6 mm

**Internal diameter tank:** 1.000 mm

**Outer diameter tank:** 1.210 mm

**Cylinder height:** 1.200 mm

**Total height of tank:** 2.950 mm

**SKU:** 313769

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 140 °C

Mobil tank: Nej

Övrig information: Pharmacy; Original drawing available; vessel was subsequently slightly converted (test report from TÜV Nord is available); we can't give any guarantees about the heating/cooling jacket; we can't

Övrig information2: give any guarantees about the agitator

Omrörare: Ja

Övertryck: 4 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304



## **Dimensioner av tank**

Cylinderhöjd: 1.200 mm  
Invändig diameter: 1.000 mm  
Total höjd: 2.950 mm  
Ytterdiameter: 1.210 mm

## **Omrörare**

Kraft (kW): 5,50

## **Tjocklek på tank**

Botten: 6 mm  
Cylinder: 6 mm  
Topp: 8 mm

## **Mer**

Isolerad: Ja