

## 1000 liter tank i Syrafast 316



**59,000,00 kr /st exkl moms**

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 6 Bar

**Max. working temperature:** 50 °C

**Type HE on the cylinder:** heating/cooling jacket

**Heat exchanger:** RVS 304

**Fixation point(s):** plastic

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** yes

**Outlet of tank:** DN50 DIN 11851

**Internal diameter tank:** 1.200 mm

**Cylinder height:** 738 mm

**Total height of tank:** 1.330 mm

**SKU:** N/A

---

Mer information

## Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: single jacketed with heat-exchanger  
Mobil tank: Nej  
Omrörare: Nej  
Total urtappning: Ja  
Uppvärmning/kylning: Ja  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 1000

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Ja  
Märkskylt: Nej  
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316  
Fixeringspunkt(er): plastic

## Dimensioner av tank

Cylinderhöjd: 738 mm  
Invändig diameter: 1.200 mm  
Total höjd: 1.330 mm

## Mer

Värmeväxlare: RVS 304  
Isolerad: Nej