

1000 liter tank i Syrafast 316



24,000,00 kr /st exkl moms

Additional information: Pharmacy; traces of usage

Volumetric volume (L): 1.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,65 Bar

Min. pressure (Bar): 0,15 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 990 mm

Cylinder height: 970 mm

Total height of tank: 2.000 mm

Empty weight tank: 140

SKU: 476287

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Slight differences in design; 1 container with 2 welded struts in the manhole (see photos); traces of usage

Omrörare: Nej

Övertryck: 0,65 Bar

Total urtappning: Nej

Undertryck (vakuum): 0,15 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 970 mm

Invändig diameter: 990 mm

Total höjd: 2.000 mm

Mer

Isolerad: Nej

Vikt: 140
