1000 liter tank i Syrafast 316



22 000 SEK /st exkl moms

Additional information: Frame, stainless steel 304; manhole diameter approx. 505 mm; outlets partly slightly bent upwards; traces of usage
Volumetric volume (L): 1.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: 72
Internal diameter tank: 1.120 mm
Cylinder height: 920 mm
Total height of tank: 1.680 mm
Total outer width: 1.220 mm

Total outer length: 1.220 mm
Empty weight tank: 450

SKU: 474416

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Pharmacy; Frame, Aisi 304; manhole diameter approx. 505 mm; outlets partially slightly curved upwards; traces of usage
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 1000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 920 mm
Invändig diameter: 1.120 mm
Total höjd: 1.680 mm

Mer

Isolerad: Nej
Vikt: 450

Rodervägen 57
891 78 Bonässund
info@processoverskott.se