

## 1000 liter tank i Syrafast 316



**80,000,00 SEK /st exkl moms**

**Additional information:** food; presumed heating function with heating cable; Manhole diameter: approx. 395mm; Optionally, a platform (see pictures) for the 2 containers can be purchased for €495; some residues of previous content

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** ATM - atmosferic  
**Max. temperature (°C):** 85 °C  
**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical  
**Configuration:** insulated with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** yes  
**Mobile tank:** no

**Total discharge:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Position of manway:** in the bottom  
**Outlet of tank:** 47  
**Agitator:** yes  
**Cylinder height:** 920 mm  
**Total height of tank:** 1.670 mm

**Total outer width:** 1.025 mm  
**Total outer length:** 1.250 mm  
**Empty weight tank:** 700

**SKU:** 302988

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 85 °C

Mobil tank: Nej

Övrig information: food; presumed heating function with heating cable; Manhole diameter: approx. 395mm; Optionally, a platform (see pictures) for the 2 containers can be purchased for €495; some residues of previous

Övrig information2: content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 920 mm

Total höjd: 1.670 mm

**Mer**

Isolerad: Ja

Vikt: 700