1000 liter tank i Syrafast 316



81 000 SEK /st exkl moms

Additional information: food; presumed heating function with heating cable; Manhole diameter: approx. 395mm; Optionally, a platform (see pictures) for the 2 containers can be purchased for €495; some residues of previous content
Volumetric volume (L): 1.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. temperature (°C): 85 °C
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: 47
Agitator: yes
Cylinder height: 920 mm
Total height of tank: 1.670 mm

Total outer width: 1.025 mm
Total outer length: 1.250 mm
Empty weight tank: 700

SKU: 424682

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated with heat-exchanger
Max. arbetstemperatur: 85 °C
Mobil tank: Nej
Övrig information: food; presumed heating function with heating cable; Manhole diameter: approx. 395mm; Optionally, a platform (see pictures) for the 2 containers can be purchased for €495; some residues of previous
Övrig information2: content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 1000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 920 mm
Total höjd: 1.670 mm

Mer
Isolerad: Ja
Vikt: 700