

## 1000 liter tank i Syrafast 316



**33,000,00 kr /st exkl moms**

**Article type:** second-hand transport tank

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,15 Bar

**Material wet parts:** SS AISI 316L (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no



**Mobile tank:** no

**Top type:** flat

**Shape of tank:** square

**Bottom type:** flat sloping

**Total discharge:** yes

**Fixation points:** 4 attachment points

**Valve:** RVS 316L

**Fixation point(s):** galvanised steel

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 360 mm

**Tank outlet:** inside Ø 51 mm

**Outlet type:** SMS

**Total outlet valve:** yes

**Agitator:** no, optional

**Cylinder height:** 610 mm

**Total height of tank:** 1.300 mm

**Total outer width:** 1.150 mm

**Total outer length:** 1.150 mm

**Empty weight tank:** 180

**SKU:** 424586

## Mer information

### Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: pressure  
Konfiguration: single-skin  
Mobil tank: Nej  
Omrörare: Nej  
Övertryck: 0,15 Bar  
Tankens form: square  
Total urtappning: Ja  
Typ av botten: flat sloping  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316L (V4A)  
Volym i liter: 1000

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Nej  
Tankutlopp: inside Ø 51 mm  
Teknisk ritning finns: Nej  
Utloppstyp: SMS  
Utloppsventil: Ja

### Översikt material

Material: Syrafast 316  
Fixeringspunkt(er): galvanised steel

**Dimensioner av tank**

Cylinderhöjd: 610 mm

Total höjd: 1.300 mm

**Mer**

Isolerad: Nej

Vikt: 180