1000 liter tank i Syrafast 316



21 000 SEK /st exkl moms

Additional information: Minor differences in design (e.g., manhole covers); different outlet valves (for the black rotary valves (see photos), the outlet diameter is approximately 55 mm); a drawing of a similar container is available; traces of usage
Volumetric volume (L): 1.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. pressure (Bar): 0,65 Bar
Min. pressure (Bar): 0,15 Bar

Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: headside
Outlet of tank: 50
Cylinder: 2 mm
Bottom: 2,50 mm

Internal diameter tank: 1.000 mm
Outer diameter tank: 1.013 mm
Cylinder height: 960 mm
Total height of tank: 1.850 mm
Empty weight tank: 128

SKU: 474572

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Pharmacy; Different manufacturers, therefore minor differences in the design (e.g. manhole cover); different outlet valves (on the black rotary valves (see photos) outlet diameter approx. 55 mm);
Övrig information2: drawing for Eurocont available; traces of usage
Omrörare: Nej
Övertryck: 0,65 Bar
Total urtappning: Ja
Undertryck (vakuum): 0,15 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 1000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 960 mm
Invändig diameter: 1.000 mm
Total höjd: 1.850 mm
Ytterdiameter: 1.013 mm

Tjocklek på tank
Botten: 2,50 mm
Cylinder: 2 mm

Mer
Isolerad: Nej
Vikt: 128

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se