

## 1000 liter tank i Syrafast 316



**18,000,00 kr /st exkl moms**

**Additional information:** Fixing varnish; Frame, Fe (galvanized); diameter of manhole approx. 415 mm (container with screwed screw holder made of Fe (galvanized) around the manhole collar); fastening screws of the manhole cover incomplete; dents in the lower bottom (see photos); traces of usage

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 316 (V4A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** headside

**Outlet of tank:** DN40 DIN 11851  
**Total height of tank:** 1.650 mm  
**Total outer width:** 840 mm  
**Total outer length:** 1.240 mm

**SKU:** 476215

## Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Fixing varnish; Frame, Fe (galvanized); diameter of manhole approx. 415 mm (container with screwed screw holder made of Fe (galvanized) around the manhole collar); fastening screws of the manhole

Övrig information2: cover incomplete; dents in the lower bottom (see photos); traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Total höjd: 1.650 mm

## Mer

Isolerad: Nej