

## 1000 liter tank i Syrafast 316



**26 000 SEK /st exkl moms**

**Additional information:** pharmacy; Diameter manhole 380 mm; mobile frame Aisi 304; basic dimensions inside appr. 990 x 1180 mm; 2 x outlet with gauze insert (one of these two containers with a dent on top; see photos); 2 containers with open connection; partly slight adhesions inside; traces of usage

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 316 (V4A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** headside

**Outlet of tank:** 250  
**Total height of tank:** 1.650 mm  
**Total outer width:** 1.000 mm  
**Total outer length:** 1.250 mm  
**Empty weight tank:** 350

**SKU:** 436148

Mer information



## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: pharmacy; Diameter manhole 380 mm; mobile frame Aisi 304; basic dimensions inside appr. 990 x 1180 mm; 2 x outlet with gauze insert (one of these two containers with a dent on top; see photos); 2

Övrig information2: containers with open connection; partly slight adhesions inside; traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Total höjd: 1.650 mm

## Mer

Isolerad: Nej

Vikt: 350

