

## 1000 liter tank i Syrafast 316



**18 000 SEK /st exkl moms**

**Additional information:** Cosmetics; Frame, Fe (galvanized); Diameter manhole approx. 415 mm; traces of usage

**Volumetric volume (L):** 1.000 L

**Pressure in tank:** ATM - atmospheric

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN65 DIN 11851

**Total height of tank:** 1.650 mm

**Total outer width:** 840 mm

**Total outer length:** 1.240 mm

**SKU:** 475690

---

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; Frame, Fe (galvanized); Diameter manhole approx. 415 mm;  
traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Total höjd: 1.650 mm

## Mer

Isolerad: Nej