

1000 liter tank i Syrafast 316



21,000,00 SEK /st exkl moms

Additional information: Chemistry; Diameter of hand hole approx. 255 mm (hand hole cover plated); slight traces of rust on the inside; some residues of previous content

Volumetric volume (L): 1.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN80

Cylinder: 5 mm

Bottom: 4,90 mm

Internal diameter tank: 980 mm

Cylinder height: 1.050 mm

Total height of tank: 1.830 mm

SKU: 437408

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Diameter of hand hole approx. 255 mm (hand hole cover plated); slight traces of rust on the inside; some residues of previous content

Omrörare: Nej

Övertryck: 0,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.050 mm

Invändig diameter: 980 mm

Total höjd: 1.830 mm

Tjocklek på tank

Botten: 4,90 mm

Cylinder: 5 mm

Mer

Isolerad: Nej
