

1000 liter tank i Syrafast 316



16 000 SEK /st exkl moms

Additional information: Pharmacy; Frame and manhole cover, Aisi 304; Wall thickness all around approx. 2 mm; Manhole cover fastenings incomplete; Containers with dents (see photos); traces of usage

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Total height of tank: 1.560 mm

Total outer width: 1.210 mm

Total outer length: 1.010 mm

SKU: 434855

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Frame and manhole cover, Aisi 304; Wall thickness all around approx. 2 mm; Manhole cover fastenings incomplete; Containers with dents (see photos); traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Total höjd: 1.560 mm

Mer

Isolerad: Nej