

1000 liter tank i Syrafast 316



18,000,00 SEK /st exkl moms

Additional information: Cosmetics; Frame, Fe (galvanized); minor dents in the upper bottom; clamping ring of the manhole cover missing; disc tap very stiff (possibly defective); bump at the cylinder; traces of usage

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Cylinder height: 900 mm

Total height of tank: 1.900 mm

Total outer width: 1.140 mm

Total outer length: 1.140 mm

SKU: 488810

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfERIC

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; Frame, Fe (galvanized); minor dents in the upper bottom; clamping ring of the manhole cover missing; disc tap very stiff (possibly defective); bump at the cylinder;traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 900 mm

Total höjd: 1.900 mm

Mer

Isolerad: Nej