

1000 liter tank i Syrafast 316



183 000 SEK /st exkl moms

Additional information: Cosmetics; Total height including the control cabinet on a stand (see photos of the previous operator); Metallic discolouration inside

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Number of revolutions: 960

Power: 4

Internal diameter tank: 1.230 mm

Outer diameter tank: 1.530 mm

Total height of tank: 2.650 mm

SKU: 452048

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Cosmetics; Total height including the control cabinet on a stand (see photos from the previous operator); Metallic discolouration inside; we can't give any guarantees about the heating/cooling jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 1.230 mm

Total höjd: 2.650 mm

Ytterdiameter: 1.530 mm

Omrörare

Kraft (kW): 4

Varvtal: 960

Mer

Värmeväxlare: RVS 304

Isolerad: Ja