

10000 liter tank i Rostfritt 304



148 000 SEK /st exkl moms

Additional information: Dairy; Minor dents in the upper bottom and in the insulating jacket; pipe end cut flush

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 80

Agitator: yes

Number of revolutions: 20 / 40

Power: 1.5 / 2.2

Internal diameter tank: 2.090 mm

Outer diameter tank: 2.240 mm

Cylinder height: 2.900 mm

Total height of tank: 5.250 mm

SKU: 487223

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Dairy; Smaller dents in the upper bottom and insulation jacket; pipe end cut flush; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.900 mm

Invändig diameter: 2.090 mm

Total höjd: 5.250 mm

Ytterdiameter: 2.240 mm

Omrörare

Kraft (kW): 1.5 / 2.2

Varvtal: 20 / 40

Mer

Isolerad: Ja
