

## 10000 liter tank i Rostfritt 304



**93 000 SEK /st exkl moms**

**Additional information:** Manhole approx. 360 x 460 mm; Outlet pressed into the lower bottom and slightly bent; Outlet end extends beyond the end of the feet and would need to be adjusted accordingly for installation; Connections in the upper bottom partially welded shut (see photos); some residues of previous content; pipe end cut flush

**Volumetric volume (L):** 10.000 L  
**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** cylinder

**Outlet of tank:** 50  
**Internal diameter tank:** 1.890 mm  
**Outer diameter tank:** 2.000 mm  
**Total height of tank:** 4.650 mm

**SKU:** 295358

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Manhole approx. 360 x 460 mm; Outlet pressed into the lower bottom and slightly bent; Outlet end extends beyond the end of the feet and would need to be adjusted accordingly for installation;

Övrig information2: Connections in the upper bottom partially welded shut (see photos); some residues of previous content; pipe end cut flush

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 1.890 mm

Total höjd: 4.650 mm

Ytterdiameter: 2.000 mm

**Mer**

Isolerad: Ja

---