

10000 liter tank i Rostfritt 304



135,000 SEK /st exkl moms

Additional information: 1 dip tube inside the tank

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Number of revolutions: 56

Power: 0,75

Cylinder: 3,10 mm

Bottom: 2,90 mm

Internal diameter tank: 2.690 mm

Outer diameter tank: 2.850 mm

Cylinder height: 1.750 mm

Total height of tank: 3.350 mm

SKU: 564865

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: 1 dip tube inside the tank; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 10000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.750 mm

Invändig diameter: 2.690 mm

Total höjd: 3.350 mm

Ytterdiameter: 2.850 mm

Omrörare

Kraft (kW): 0,75

Varvtal: 56

Tjocklek på tank

Botten: 2,90 mm

Cylinder: 3,10 mm

Mer

Isolerad: Ja