

10000 liter tank i Rostfritt 304



82,000,00 kr /st exkl moms

Article type: second-hand mixing tank

Additional information: Please look carefully at the photos, In 2 of the 3 tanks there is still some grease on the inner wall

.; we can't give any guarantees about the agitator

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin



Heat exchanger: no

Insulation: no

Mobile tank: no

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 non adjustable feet

Fixation point(s): RVS 304

Wet parts agitator(s): SS AISI 304 (V2A)

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 80 mm

Agitator: yes

Cylinder: 3 mm

Bottom: 4 mm

Internal diameter tank: 1.920 mm

Distance from outlet to ground: 700 mm

Outer diameter tank: 2.020 mm

Cylinder height: 3.540 mm

Total height of tank: 5.600 mm

Empty weight tank: 1.250

SKU: 307194

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Please look carefully at the photos, In 2 of the 3 tanks there is still some grease on the inner wall .; we can't give any guarantees about the agitator

Omrörare: Ja

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Tankutlopp: inside Ø 80 mm

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

Material vätskeberörd del på omrörare: SS AISI 304 (V2A)



Dimensioner av tank

Cylinderhöjd: 3.540 mm

Invändig diameter: 1.920 mm

Mått utlopp till marken: 700 mm

Total höjd: 5.600 mm

Ytterdiameter: 2.020 mm

Tjocklek på tank

Botten: 4 mm

Cylinder: 3 mm

Mer

Isolerad: Nej

Vikt: 1.250