

## 10000 liter tank i Rostfritt 304



**223 000 SEK /st exkl moms**

**Additional information:** Food  
**Volumetric volume (L):** 10.000 L  
**Pressure in tank:** ATM - atmosferic  
**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 380 L

**Max Overpressure:** 3,50 Bar

**Max. working temperature:** 50 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Agitator:** yes

**Internal diameter tank:** 2.540 mm

**Cylinder height:** 2.050 mm

**Total height of tank:** 4.100 mm

**Empty weight tank:** 2.000

**SKU:** 567944

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Food; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 2.050 mm

Invändig diameter: 2.540 mm

Total höjd: 4.100 mm

**Mer**

Isolerad: Ja

Vikt: 2.000

---