10000 liter tank i Rostfritt 304



184 000 SEK /st exkl moms

Additional information: Ice water; Manhole approx. 410 x 510 mm; heating connections cut off
Volumetric volume (L): 10.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Volume: 205 L
Max Overpressure: 3 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Position of manway: cylinder
Outlet of tank: DN50 DIN 11851
Agitator: yes
Cylinder: 4 mm

Bottom: 4 mm
Internal diameter tank: 1.660 mm
Outer diameter tank: 1.790 mm
Cylinder height: 4.500 mm
Total height of tank: 6.217 mm

SKU: 701900

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: isolert med varmeveksler
Mobil tank: Nej
Övrig information: Ice water; Manhole approx. 410 x 510 mm; heating connections cut off; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Yes
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 10000

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.500 mm
Invändig diameter: 1.660 mm
Total höjd: 6.217 mm
Ytterdiameter: 1.790 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 4 mm

Mer
Isolerad: Ja