10000 liter tank i Rostfritt 304

76,000,00 kr /st exkl moms

Additional information: Winery; Manhole approx. 320 x 420 mm; Tanks marbled on one side on the outside; the foot lengths on the individual tanks are slightly different (usually 1 foot is shorter than the other two feet; the feet would have to be modified or relined accordingly before re-installation); 1 tank with a stronger dent in the upper cylinder area (see photos); some residues of previous content

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Volumetric volume (L): 10.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 90
Internal diameter tank: 1.880 mm
Cylinder height: 3.250 mm
Total height of tank: 4.250 mm

SKU: 448691

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Winery; Manhole approx. 320 x 420 mm; Tanks marbled on one side on the outside; the foot lengths on the individual tanks are slightly different (usually 1 foot is shorter than the other two feet;
Övrig information2: the feet would have to be modified or relined accordingly before re-installation);1 tank with a stronger dent in the upper cylinder area (see photos); some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 10000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.250 mm
Invändig diameter: 1.880 mm
Total höjd: 4.250 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolerad: Nej