10000 liter tank i Rostfritt 304



92 000 SEK /st exkl moms

Additional information: Milch; small cracks in the insulation jacket; some residues of previous content
Volumetric volume (L): 10.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: pipe end Ø appr. 50mm
Agitator: yes
Internal diameter tank: 1.990 mm
Outer diameter tank: 2.100 mm
Cylinder height: 3.240 mm

Total height of tank: 4.650 mm

SKU: 391796

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Milch; small cracks in the insulation jacket; some residues of previous content; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 10000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.240 mm
Invändig diameter: 1.990 mm
Total höjd: 4.650 mm
Ytterdiameter: 2.100 mm

Mer

Isolerad: Ja