

10000 liter tank i Rostfritt 304



132 000 SEK /st exkl moms

Additional information: 2 separate chambers, each holding 5,000 liters

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated



Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Top: 4 mm

Cylinder: 4 mm

Bottom: 4 mm

Internal diameter tank: 1.800 mm

Outer diameter tank: 1.900 mm

Total height of tank: 6.816 mm

Empty weight tank: 2.000

SKU: 706192

Mer information



Beskrivning av produkt

Material: Stainless steel 304

Modell: Vertical

Nyttillverkad/Begagnad: Used

Arbetsstryck i tank: ATM – atmospheric

Konfiguration: insulated

Mobil tank: No, it is not.

Övrig information: 2 separate chambers, each holding 5,000 liters; we can't give any guarantees about the agitator

Omrörare: Yes

Total urtappning: Yes

Uppvärmning/kylning: No, it is not.

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 10000

Utrustning

Dokument finns: No, it is not.

Fläns för omrörare: No

Märkskylt: Yes

Teknisk ritning finns: No, it is not.

Översikt material

Material: Stainless steel 304

Dimensioner av tank

Invändig diameter: 1.800 mm

Total höjd: 6.816 mm

Ytterdiameter: 1.900 mm

Tjocklek på tank

Botten: 4 mm

Cylinder: 4 mm

Topp: 4 mm



Mer

Isolerad: Yes

Vikt: 2.000
